

FINALLY!

The system you've been waiting for has arrived!

It's inexpensive!

It's user-friendly!

It's the **PASSIVE-R4!**



**D.O.T. Certified
Passive Shut-Down
Transport Hose Kit**

Designed to be installed on your existing hose

Passive-R4™

D.O.T. Hose Safety System



INEXPENSIVE!
USER-FRIENDLY!

- **Certified** to meet D.O.T. 49CFR173.315
- Designed to be installed **on your existing hose**
- Simple installation can be done **by your people in your shop**
- Buy it just once - **move to any hose in the future** at little or no additional cost
- Made entirely of **corrosion resistant materials** for super-long life
- Compact and **light-weight** - weighs just 6 lbs. and adds less than 8 inches to the hose
- **Fail safe design** can't be operated incorrectly

- **Operating Range: -50°F to +250°F**
0 PSI to 400 PSI
- **Same unit good for both LPG & NH₃ Service**
- **Flows 409 GPM LPG** at 70 PSI differential
- **Don't be held hostage to one hose supplier**
- **System does not place any harmful internal loads on the hose**
- **Unlike other mechanical systems...you can actually "test" this system for proper operation and have confidence that it will work if needed**
- **Operating principal is totally mechanical which eliminates the serious operating problems associated with "pressure" based systems**



INEXPENSIVE & USER-FRIENDLY!



MANUFACTURED BY PGI INTERNATIONAL

214.357.4591
800.345.8105
squibb@squibbtaylor.com